

Autonomous Systems

Lecture 2

Probabilities

Bayes rule

Bayes filters

Recursive Bayesian Updating

$$P(x | z_1, \dots, z_n) = \frac{P(z_n | x, z_1, \dots, z_{n-1}) P(x | z_1, \dots, z_{n-1})}{P(z_n | z_1, \dots, z_{n-1})}$$

Markov assumption: z_n is independent of z_1, \dots, z_{n-1} if we know x .

$$\begin{aligned} P(x | z_1, \dots, z_n) &= \frac{P(z_n | x) P(x | z_1, \dots, z_{n-1})}{P(z_n | z_1, \dots, z_{n-1})} \\ &= \eta P(z_n | x) P(x | z_1, \dots, z_{n-1}) \\ &= \eta_{1\dots n} \prod_{i=1\dots n} P(z_i | x) P(x) \end{aligned}$$

Example: Second Measurement

- $P(z_2|open) = 0.5$ $P(z_2|\neg open) = 0.6$
- $P(open|z_1) = 2/3$

$$\begin{aligned} P(open|z_2, z_1) &= \frac{P(z_2|open) P(open|z_1)}{P(z_2|open) P(open|z_1) + P(z_2|\neg open) P(\neg open|z_1)} \\ &= \frac{\frac{1}{2} \cdot \frac{2}{3}}{\frac{1}{2} \cdot \frac{2}{3} + \frac{3}{5} \cdot \frac{1}{3}} = \frac{5}{8} = 0.625 \end{aligned}$$

- z_2 lowers the probability that the door is open.

Actions

- Often the world is **dynamic** since
 - **actions carried out by the robot,**
 - **actions carried out by other agents,**
 - or just the **time** passing bychange the world.
- How can we **incorporate** such **actions**?

Typical Actions

- The robot **turns its wheels** to move
- The robot **uses its manipulator** to grasp an object

- Actions are **never carried out with absolute certainty**.
- In contrast to measurements, **actions generally increase the uncertainty**.


Modeling Actions

- To incorporate the outcome of an action u into the current “belief”, we use the conditional pdf

$$P(x|u,x')$$


- This term specifies the pdf that **executing u changes the state from x' to x .**

Example: Closing the door



State Transitions

$P(x|u, x')$ for $u =$ "close door":



If the door is open, the action "close door" succeeds in 90% of all cases.

Integrating the Outcome of Actions

Continuous case:

$$P(x | u) = \int P(x | u, x') P(x') dx'$$

Discrete case:

$$P(x | u) = \sum P(x | u, x') P(x')$$

Example: The Resulting Belief

$$\begin{aligned}P(\textit{closed} | u) &= \sum P(\textit{closed} | u, x')P(x') \\ &= P(\textit{closed} | u, \textit{open})P(\textit{open}) \\ &\quad + P(\textit{closed} | u, \textit{closed})P(\textit{closed}) \\ &= \frac{9}{10} * \frac{5}{8} + \frac{1}{1} * \frac{3}{8} = \frac{15}{16}\end{aligned}$$

$$\begin{aligned}P(\textit{open} | u) &= \sum P(\textit{open} | u, x')P(x') \\ &= P(\textit{open} | u, \textit{open})P(\textit{open}) \\ &\quad + P(\textit{open} | u, \textit{closed})P(\textit{closed}) \\ &= \frac{1}{10} * \frac{5}{8} + \frac{0}{1} * \frac{3}{8} = \frac{1}{16} \\ &= 1 - P(\textit{closed} | u)\end{aligned}$$

Bayes Filters: Framework

- **Given:**

- Stream of observations z and action data u :

$$d_t = \{u_1, z_1 \dots, u_t, z_t\}$$


- Sensor model $P(z|x)$.
- Action model $P(x|u, x')$.
- Prior probability of the system state $P(x)$.

- **Wanted:**

- Estimate of the state X of a dynamical system.
- The posterior of the state is also called **Belief**:

$$Bel(x_t) = P(x_t | u_1, z_1 \dots, u_t, z_t)$$

Markov Assumption



$$p(z_t \mid x_{0:t}, z_{1:t}, u_{1:t}) = p(z_t \mid x_t)$$

$$p(x_t \mid x_{1:t-1}, z_{1:t}, u_{1:t}) = p(x_t \mid x_{t-1}, u_t)$$

z = observation
u = action
x = state

Bayes Filters

$$\boxed{Bel(x_t)} = P(x_t | u_1, z_1, \dots, u_t, z_t)$$

Bayes $= \eta P(z_t | x_t, u_1, z_1, \dots, u_t) P(x_t | u_1, z_1, \dots, u_t)$

Markov $= \eta P(z_t | x_t) P(x_t | u_1, z_1, \dots, u_t)$

Total prob. $= \eta P(z_t | x_t) \int P(x_t | u_1, z_1, \dots, u_t, x_{t-1})$
 $P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$

Markov $= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$

Markov $= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, z_{t-1}) dx_{t-1}$

$$\boxed{= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}}$$

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

1. Algorithm **Bayes_filter**($Bel(x_{t-1}), u_t, z_t$):
2. For all x_t do
3. $\overline{bel}(x_t) = \int p(x_t | u_t, \underline{x_{t-1}}) bel(x_{t-1}) dx_{t-1}$
4. $bel(x_t) = \eta p(z_t | x_t) \overline{bel}(x_t)$
5. endfor
6. Return $bel(x_t)$

Bayes Filters are Familiar!

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$


- Kalman filters
- Particle filters
- Hidden Markov models
- Dynamic Bayesian networks
- Partially Observable Markov Decision Processes (POMDPs)

Summary

- Bayes rule allows us to compute probabilities that are hard to assess otherwise.
- Under the Markov assumption, recursive Bayesian updating can be used to efficiently combine evidence.
- Bayes filters are a probabilistic tool for estimating the state of dynamic systems.

Demonstrations


Sample-based Localization: Demo



Another demo



AIBO kick



ATDO tracking

